

Machines for the removal of floor coverings

Power-Stripper

The Power-Stripper is designed for continuous heavy use, offering the following important features:

- Original Flex 3 H.P. motor 2000 Watt (3HP)
- Large bearings for long life cycle
- Adjustable hand-grips to suit on body height
- Optional T-handle available
- Totally enclosed mechanical components, eliminating penetration of adhesive into blade-assembly and bearings
- Shoulder-pad to cushion body weight when put behind machine.



TECHNICAL SPECIFICATION

Power supply	230 V or 120 V
Motor power	2000 Watt (3HP)
Working width	210 mm (8 1/4")
Weight	14.4 kg (31,8 lbs)

complete with adjustable long handle, 2 spare blades and blade protector, carrying case optional extra

230 V 111 095 000

120 V 111 093 000



Serrated Blade

Particularly to remove floor coverings with felt-/fleece-back.

- The serrated edge cuts off the fibres.
- The teflon coating keeps the adhesive away from the blade.



Spare Parts / Accessories

Blade 210x60x1 mm (8 1/4"x2 1/2"x1/16")

Order-No. 111 080 001

Blade 210x130x 1mm (8 1/4"x5 1/8"x1/16")

Order-No. 111 080 002

Carrying Case 111 090 200

Wheels 111 095 900

Serrated Blade

210 x 60 x 1.5 mm
(8 1/4"x2 3/8"x1 1/16")

Order-No. 111 095 400

Leather Pocket 111 920 000



Compact-Stripper

For working in areas of confined space, stairs and walls. Suitable for the removal of residual foam and adhesive.

The Compact - Stripper uses a flexible blade that is built within a shock absorbing system. Switch for constant use.



TECHNICAL SPECIFICATION

Power Supply	230 V or 120 V
Motor Power	700 Watt (1HP)
Working width	150 mm (6") or 235 mm (9")
Weight	3.5 kg (7.7 lbs)

complete with carrying case and 2 spare blades, long handle optional extra

230 V 111 112 000

120 V 111 112 800

Spare Parts / Accessories

Blade 150x60x1 mm (6x2 1/2"x1/16")

Order-No. 111 102 165

Blade 235x60x1 mm (9 1/4"x2 1/2"x1/16")

Order-No. 111 103 250

Detachable Handle

Order-No: 111 112 010

Air powered chisel scraper

Easily removes vinyl tile, linoleum, ceramic tiles, carpet, paint buildup and many more.

Compressor see page 76



TECHNICAL SPECIFICATION

Air consumption	163 l/min
Pressure	6.3 bar
Weight	5 kg (11 lbs)

Standard equipment includes:

- Carrying case
- 2 Extensions with 410 mm (16 1/8") each
- 1 Offset chisel, 80 mm (3 1/8")
- 1 Flat chisel, 200 mm (7 7/8")
- 1 Tile removal blade
- 1 Oiler

Order-No. 111 094 500

Machines for the removal of floor coverings

COSMO II -STRIPPER

A powerful stripper for small and medium sized areas. The COSMO Stripper works over wood or concrete type surfaces and will remove virtually any substance adhered to the floor.

The handle and wheel adjustment allows you to set height where you want (adjust the blade to fit the floor), but allows you to keep the handle in a proper operating position.

An ideal addition to the Power-Stripper and MASTER-MOBIL.

- adjustable cutting angle
- adjustable handle
- machine runs virtually silent with reduced vibration. (62 dB)
- big wheels ensure a comfortable and effective operation
- simple and fast break down for storage or transport in the trunk of a car

TECHNICAL SPECIFICATION

Power Supply	230 V or 120 V
Motor Power	750 Watt (1HP)
Weight	54 kg (119 lbs)
Working width	254 mm (10")

- Complete with
- 2 Spare Blades
 - Angle Shank
 - Angle Shank Holder
 - Serrated Blade
 - 10 m (11yd) extension cable

Order-No. 111 820 000

Spare Blades see page 32
Serrated Blade see page 26



Angle Shank Attachment for hard to remove materials such as wood, ceramic and epoxy coatings

Patent-Nr.: 6813834



Adjustment of cutting angle



Removal Machine ELEPHANT

Machine removes any kind of flooring sheet goods very easily without producing dust or noise

* SIMPLE * LOW-COST * DUST-FREE * SILENT

The most important advantages at a glance:

- Flexible working width up to 80 cm (2' 7 1/2") Stripper Machines up to max. 35 cm (13 3/4")
- low weight of approx. 32 kg (70,55 lbs) + transformer
- can be carried by one person
- noise- and dust-free operation.
- removes old adhesives and coatings as well as the flooring material.
- high performance - approx. 80 - 100 m² /h (860 - 1080 sq./h)
- The device can be driven forward and in reverse without danger because the drive roller rotates only with about 13 rpm and the powerful driving unit only needs 50 or 60 V DC.
- 230V or 120V are required for the transformer.

Delivered complete with transformer

230 V	111 050 000
120 V	111 050 500

Elephant-Video

Order-No. 111 050 990



Very easy operation:

Near walls a strip of approx. 10 cm (4") has to be removed manually. The rest of the job is done by the ELEPHANT almost automatically.

Cut the floor-covering from the roll with a knife or reverse roll the machine.



Machines for the removal of floor coverings

MASTER-MOBIL hydraulic

This totally self-propelled machine has the same hydraulic technology combined with the variable speed and quiet operation. The lower weight makes the MASTER-MOBIL the perfect solution for medium size projects.

TECHNICAL SPECIFICATION

Power Supply	230V or 120 V
Motor Power	0.75 kW (1HP)
Weight	79 kg (174 lbs)
incl. front weight	93 kg (205 lbs)

complete with 4 different spare blades, extension cable and tool kit

Order-No. 111 800 000


SPECIAL EQUIPMENT

Support for 2 side weights

Order-No. 111 700 030

Additional side weights 24kg (52 lbs)
(see small picture)

Order-No. 111 800 420



Spare blades
see page 32



European
Patent-No.:
EP 60130811.5

STRATO-MOBIL hydraulic

Hydraulic- Technology applied to the well known features of self-propelled tear-out machinery. Compared with other Strippers the STRATO MOBIL Hydraulic works extremely quietly, allowing use in "working" environments. Very easy operation achieved through automatic drive with forward and reverse function

- Removeable weights for easier transport
- Virtually maintenance-free hydraulic-components

TECHNICAL SPECIFICATION

Power Supply	230 V or 120 V
Motor Power	1.1 kW (1½HP)
Voltage	8 Amp or 13 Amp
Weight	115 kg (250 lbs)
Addit.Weight - front	20 kg (44 lbs)
Addit.Weight - side	18 kg (40 lbs)

complete with 4 different spare blades, extension cable and tool kit and trolley base

230 V 111 700 000

120 V 111 700 500

SPECIAL EQUIPMENT

Support for 2 side weights

Order-No. 111 700 030

Additional weight front 12kg (26 lbs)

Order-No. 111 700 050

Additional weight 25kg (56 lbs)

Order-No. 111 700 420


Flexible Blade Extension

To be used with Master-/Strato Mobil


Order-No. 111 800 040

Spare Blades
280 x 22x 1mm (11 x 1/32 x 3/64")

Set of 10 pcs. 111 700 150



Spare Blades
see page 32



European
Patent-No.:
EP 60130811.5

Flexible Blade Extension

Enables the blade to be in permanent contact with the surface. Ideal for the removal of thin foam coverings, residual paint, hard to remove rubber or hardened adhesive.

Machines for the removal of floor coverings

Ride-on Electro-Version

Characteristics:

- Easy to operate
- Complete hydraulic controls
- Quiet operation without fumes
- Adjustable blade pitch and angle
- Zero turn radius
- Non-marking tires
- Easy to transport, load and unload, fits through standard doorways and elevators
- Quick and easy blade change
- Variety of blades available

TECHNICAL SPECIFICATION	
MOTOR:	
Power Supply	230 V or 110 V
Motor Power	2 x 1100 Watt (1.5HP)
SPEED:	up to 35m/min
DIMENSIONS:	
Length (without blade holder):	
	1270 mm (50")
Width	620 mm (24 1/2")
Height	680 mm (26 3/3")
Height with seat:	1000 mm (39")
WEIGHT:	
machine	450 kg (992lbs)
additional front weight	136 kg (300lbs)
additional rear weight	45 kg (100lbs)



Ride-on-Mobil basic unit

Order-No. 111 410 000

Spare blades see page 32
Loading ramps see page 144

RIDE-ON Accessories

Set of Accessories

6 different cutting heads and tile box, premium high tempered blades, different heavy duty blades, cutter blades, straight shanks with carbide tips, angle shank blades 15 m (16 3/8yd) Extension cord, additional front weight 136 kg (300 lbs), additional rear weight 45 kg (100 lbs), tool-Kit, transport case on wheels

Order-No. 111 480 000

Demo DVD

Ride-on / Strato-Mobil / Master-Mobil

Order-No. 111 400 997

Blade Extension

is used to reach inaccessible areas and for thick foam or parquet flooring.



Order-No. 111 400 485

Cutting Heads

Available in 8 different widths, corresponding spare blades in different strengths and cutter blades



for Blades:

Width 305 mm (12") 111 400 880

Blades 304 x 22 mm (12x7/8")

Pack of 50 pcs 111 400 420

Width 40 mm (1 1/2") 111 400 497

Width 80 mm (3 1/8") 111 400 498

Width 152 mm (6") 111 400 110

Width 203 mm (8") 111 400 120

Width 254 mm (10") 111 400 130

Width 305 mm (12") 111 400 140

Width 355 mm (14") 111 400 150

Width 686 mm 111 (27") 111 400 160



Cutting Head Clip

Order-No. 111 400 113

APPLICATIONS:

Removal of ceramic or floor-tile



Removal of carpet with self scoring blade



Removal of hardwood or parquet



The ultimate re-scraping machine



Subfloor treatment

Machines for the removal of floor coverings

Ride-on Battery-Version

Higher performance with cordless operation !

The electric version has been complemented by a battery-operated model. This offers optimal solutions for each individual job.

Removes PVC, linoleum, carpet coverings, rubber floors, adhesives, coatings, parquet flooring and much more. Also suitable for roof coverings.

Great machines for commercial surface removal and preparation e.g. in warehouses, sport centres, department stores, etc.



TECHNICAL SPECIFICATION

BATTERY:
Run Time 2.5 hours
Charging Time 2.5 hours
Speed up to 37 m (40½ yd)/min

DIMENSIONS:
Length (without blade holder): 1346 mm (53")
Width 620 mm (24 ½")
Height 780 mm (30 3/8")
Height with seat: 1117 mm (44")

WEIGHT:
machine 560 kg (1230 lbs)
additional front weight 90 kg (200 lbs)
additional rear weight 45 kg (100 lbs)

Battery-Version

Includes:
Extended Run Power Pack,
two battery chargers and
two power pack
transportation carts

Order-No. 111 430 000

Demo DVD
Ride-on / Strato-Mobil / Master-Mobil
Order-No. 111 400 997

Spare Batteries
(2 pcs) without metal housing
Order-No. 111 430 740

Charging Station complete
Order-No. 111 430 780

Battery Charger
Order-No. 111 430 730

Spare Blades see page 32
Loading ramps see page 144



Flip-up back lid for quick and easy battery changing

Flip-up front-lid for easy power-pack connection



Fits through hallways and doorways



Removes the worst of today's glued down floors, including ceramic and wood



Batteries easily slide in and out
No heavy lifting required



Wide blades create higher productivity



"Pull along" carts for easy jobsite movement

Machines for the removal of floor coverings

Ride-on ADB All-Day-Battery

Appropriately named, this machine offers battery run times exceeding the average eight hour day.

Has the ability to operate through an entire work day (8-12 hours) without requiring a battery change, recharge or electrical cord assistance.

On board, built-in charging system has the versatility to plug into any outlet. The higher machine weight enables for even more effective removal work using wider blades or chisels.

TECHNICAL SPECIFICATION

BATTERY:
Run Time 8 - 12 hours
Charging Time 8 hours
Speed up to 37 m (40 1/2yd) /min

DIMENSIONS:
Length 1372 mm (4'6")
(without blade holder):
Width 622 mm (24 1/2")
Height 882 mm (34 3/4")
Height with seat: 1219 mm (3'12")

WEIGHT:
machine ca. 950 kg (2094 lbs)
additional front weight ca. 98 kg (216 lbs)
additional rear weight 45 kg (100 lbs)

ADB-Version

Order-No. 111 450 000

Demo DVD
Ride-on / Strato-Mobil / Master-Mobil

Order-No. 111 400 997



Spare Blades see page 32
Loading ramps see page 144

Front sliding plate allows for exact blade angle




Ergonomically designed controls for safe and easy maneuvering



Efficiently works on all applications



Allows extended run time



Easily removes the toughest of direct glued carpet

